

Thule Rapid System Kit 1064





> Instructions

TOYOTA HiLux Surf, 5-dr SUV, 96-03



TOYOTA Tacoma, 4-dr Quad Cab, *96-04

TOYOTA 4 Runner, 5-dr SUV, 96-03 / *96-02


*North America



ISO 11154-E





x1



x1

1

	X (scale)	X (mm)	X (inch)
TOYOTA HiLux Surf , 5-dr SUV, 96-03	32,5	976	38 ³/₈
TOYOTA Tacoma , 4-dr Quad Cab, *96-04	32,5	976	38 ³/₈
TOYOTA 4 Runner , 5-dr SUV, 96-03 / *96-02	32,5	976	38 ³/₈





	Y (scale)	Y (mm)	Y (inch)
TOYOTA HiLux Surf , 5-dr SUV, 96-03	32,5	976	38 ³/₈
TOYOTA Tacoma , 4-dr Quad Cab, *96-04	32,5	976	38 ³/₈
TOYOTA 4 Runner , 5-dr SUV, 96-03 / *96-02	32,5	976	38 ³/₈

2



TOYOTA HiLux Surf, 5-dr SUV, 96-03

TOYOTA Tacoma, 4-dr Quad Cab, *96-04

TOYOTA 4 Runner, 5-dr SUV, 96-03 / *96-02



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
TOYOTA HiLux Surf , 5-dr SUV, 96-03	270	700	10 ⁵/₈	27 ¹/₂
TOYOTA Tacoma , 4-dr Quad Cab, *96-04	270	700	10 ⁵/₈	27 ¹/₂
TOYOTA 4 Runner , 5-dr SUV, 96-03 / *96-02	270	700	10 ⁵/₈	27 ¹/₂

