





Thule Rapid System Kit 1425

> Instructions

ACURA CSX, 4-dr Sedan, *06-11

HONDA Civic, 4-dr Sedan, 05-11 / *06-11


*North America




ISO 11154-E




191 x1



192 x1



225 x2




679 x2



833 x2





x1




x1

1

	X (scale)	X (mm)	X (inch)
ACURA CSX , 4-dr Sedan, *06-11	43,5	1086	42 ³ / ₄
HONDA Civic , 4-dr Sedan, 05-11 / *06-11	43,5	1086	42 ³ / ₄



2





	Y (scale)	Y (mm)	Y (inch)
ACURA CSX , 4-dr Sedan, *06-11	37	1021	40 ¹ / ₄
HONDA Civic , 4-dr Sedan, 05-11 / *06-11	37	1021	40 ¹ / ₄


2

ACURA CSX, 4-dr Sedan, *06-11

HONDA Civic, 4-dr Sedan, 05-11 / *06-11



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
ACURA CSX , 4-dr Sedan, *06-11	270	700	10 ⁵/₈	27 ¹/₂
HONDA Civic , 4-dr Sedan, 05-11 / *06-11	270	700	10 ⁵/₈	27 ¹/₂

