





Thule Rapid System Kit 1597

> Instructions

VOLKSWAGEN Jetta, 4-dr Sedan (MK5), 05-10

VOLKSWAGEN GLI, 4-dr Sedan (MK5), *08-10

*North America




ISO 11154-E

141597

C.20130418
519-1597-06



Herbály Autó www.herbalyauto.hu

Bring your life
thule.com



1

	X (scale)	X (mm)	X (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	38,5	1036	40 ³/₄
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	38,5	1036	40 ³/₄





	Y (scale)	Y (mm)	Y (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	35	1001	39 ³/₈
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	35	1001	39 ³/₈


2

VOLKSWAGEN Jetta, 4-dr Sedan (MK5), 05-10

VOLKSWAGEN GLI, 4-dr Sedan (MK5), *08-10



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
VOLKSWAGEN Jetta , 4-dr Sedan (MK5), 05-10	320	725	12 ⁵/₈	28 ¹/₄
VOLKSWAGEN GLI , 4-dr Sedan (MK5), *08-10	320	725	12 ⁵/₈	28 ¹/₄

