





# Thule Rapid System Kit 1629

## > Instructions

**KIA K5**, 4-dr Sedan, 11-15

**KIA Optima**, 4-dr Sedan, 11-15



ISO 11154-E




235 x1

236 x1

370 x1

371 x1




1178 x2



1179 x2






x1



x1

1

|                                       | X (scale) | X (mm) | X (inch)                       |
|---------------------------------------|-----------|--------|--------------------------------|
| <b>KIA K5</b> , 4-dr Sedan, 11-15     | 43,5      | 1086   | 42 <sup>3</sup> / <sub>4</sub> |
| <b>KIA Optima</b> , 4-dr Sedan, 11-15 | 43,5      | 1086   | 42 <sup>3</sup> / <sub>4</sub> |





|                                       | Y (scale) | Y (mm) | Y (inch)                       |
|---------------------------------------|-----------|--------|--------------------------------|
| <b>KIA K5</b> , 4-dr Sedan, 11-15     | 38,5      | 1036   | 40 <sup>3</sup> / <sub>4</sub> |
| <b>KIA Optima</b> , 4-dr Sedan, 11-15 | 38,5      | 1036   | 40 <sup>3</sup> / <sub>4</sub> |


# 2

**KIA K5, 4-dr Sedan, 11-15**

**KIA Optima, 4-dr Sedan, 11-15**



3



|                                      | W (mm)     | Z (mm)     | W (inch) | Z (inch)                            |
|--------------------------------------|------------|------------|----------|-------------------------------------|
| <b>KIA K5, 4-dr Sedan, 11-15</b>     | <b>230</b> | <b>665</b> | <b>9</b> | <b>26 <sup>1</sup>/<sub>8</sub></b> |
| <b>KIA Optima, 4-dr Sedan, 11-15</b> | <b>230</b> | <b>665</b> | <b>9</b> | <b>26 <sup>1</sup>/<sub>8</sub></b> |

