





Thule Rapid System Kit 1659

> Instructions

KIA Rio, 4-dr Sedan, 12-17

KIA Rio, 5-dr Hatchback, 12-17



ISO 11154-E

141659


C.20170420
519-1659-03

Herbály Autó www.herbalyauto.hu


Bring your life
thule.com




52 x2



333 x1



334 x1




1188 x2



1189 x2






x1



x1

1



	X (scale)	X (mm)	X (inch)
KIA Rio , 4-dr Sedan, 12-17	37	1021	40 ¹ / ₄
KIA Rio , 5-dr Hatchback, 12-17	37	1021	40 ¹ / ₄





	Y (scale)	Y (mm)	Y (inch)
KIA Rio , 4-dr Sedan, 12-17	26,5	916	36 ¹ / ₈
KIA Rio , 5-dr Hatchback, 12-17	26,5	916	36 ¹ / ₈

2

KIA Rio, 4-dr Sedan, 12-17
KIA Rio, 5-dr Hatchback, 12-17



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
KIA Rio, 4-dr Sedan, 12-17	270	670	10 ⁵/₈	26 ³/₈
KIA Rio, 5-dr Hatchback, 12-17	270	670	10 ⁵/₈	26 ³/₈

