





Thule Rapid System Kit 1663

> Instructions

RANGE ROVER Evoque, 3-dr SUV, 11-18

RANGE ROVER Evoque, 5-dr SUV, 11-18 / *12-18

*North America








Diagram showing weight and load capacity:

- xx kg / xx lbs (bag) + 7 kg / 15,4 lbs (bar) = 3-dr Max. 40 kg / 88 lbs
- xx kg / xx lbs (bag) + 3 kg / 6,6 lbs (screws) = 5-dr Max. 50 kg / 110 lbs





Speedometer diagram showing speed limits:

- 40 km/h / 25 Mph
- 80 km/h / 50 Mph
- 130 km/h / 80 Mph

ISO 11154-E


141663
C.20190325
519-1663-05

Herbály Autó www.herbalyauto.hu

Bring your life
thule.com



271 x2




1356 x2




x1

323 x2





1187 x2



x1

1


	X (scale)	X (mm)	X (inch)
RANGE ROVER Evoque , 3-dr SUV, 11-18	47	1121	44 ¹ / ₈
RANGE ROVER Evoque , 5-dr SUV, 11-18 / *12-18	47	1121	44 ¹ / ₈




	Y (scale)	Y (mm)	Y (inch)
RANGE ROVER Evoque , 3-dr SUV, 11-18	46,5	1116	43 ⁷ / ₈
RANGE ROVER Evoque , 5-dr SUV, 11-18 / *12-18	46	1111	43 ³ / ₄

2



SRA




RANGE ROVER Evoque, 3-dr SUV, 11-18




RANGE ROVER Evoque, 5-dr SUV, 11-18 / *12-18



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
RANGE ROVER Evoque, 3-dr SUV, 11-18	270	650	340	10 ⁵/₈	25 ⁵/₈	13 ³/₈



	W (mm)	Z (mm)	W (inch)	Z (inch)
RANGE ROVER Evoque, 5-dr SUV, 11-18 / *12-18	270	700	10 ⁵/₈	27 ¹/₂

