





Thule Rapid System Kit 1682

> Instructions

CITROËN C-Zero, 5-dr Hatchback, 10-

MITSUBISHI i-MiEV, 5-dr Hatchback, 10- / *12-

*North America



ISO 11154-E

141682


C.20120530
519-1682-01

Herbály Autó www.herbalyauto.hu


Bring your life
thule.com



178 x2




216 x2



1188 x4





x1



x1

1



	X (scale)	X (mm)	X (inch)
CITROËN C-Zero , 5-dr Hatchback, 10-	36,5	1016	40
MITSUBISHI i-MiEV , 5-dr Hatchback, 10- / *12-	36,5	1016	40





	Y (scale)	Y (mm)	Y (inch)
CITROËN C-Zero , 5-dr Hatchback, 10-	35	1001	39 ³/₈
MITSUBISHI i-MiEV , 5-dr Hatchback, 10- / *12-	35	1001	39 ³/₈

2

CITROËN C-Zero, 5-dr Hatchback, 10-
MITSUBISHI i-MiEV, 5-dr Hatchback, 10- / *12-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
CITROËN C-Zero , 5-dr Hatchback, 10-	410	700	16 ⁷/₈	27 ¹/₂
MITSUBISHI i-MiEV , 5-dr Hatchback, 10- / *12-	410	700	16 ⁷/₈	27 ¹/₂

