





Thule Rapid System Kit 1713

> Instructions

SKODA Rapid, 5-dr Hatchback, 13-
SEAT Toledo, 5-dr Hatchback, 13-




ISO 11154-E

141713

C.20130320
 519-1713-02



Herbály Autó www.herbalyauto.hu

Bring your life
thule.com



1



	X (scale)	X (mm)	X (inch)
SKODA Rapid , 5-dr Hatchback, 13-	41	1061	41 ³ / ₄
SEAT Toledo , 5-dr Hatchback, 13-	41	1061	41 ³ / ₄




	Y (scale)	Y (mm)	Y (inch)
SKODA Rapid , 5-dr Hatchback, 13-	38,5	1036	40 ³ / ₄
SEAT Toledo , 5-dr Hatchback, 13-	38,5	1036	40 ³ / ₄

2

SKODA Rapid, 5-dr Hatchback, 13-
SEAT Toledo, 5-dr Hatchback, 13-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
SKODA Rapid , 5-dr Hatchback, 13-	175	715	6 ⁷ / ₈	28 ¹ / ₈
SEAT Toledo , 5-dr Hatchback, 13-	175	715	6 ⁷ / ₈	28 ¹ / ₈

